



Moisture Proof PVC Decorative Film For Cabinet With Soft Touch Surface

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Feature: Non-toxic/ Anti-Flame/ Moisture-proof
- Thickness: 0.10mm-0.50mm
- Surface: Glossy/ Matt/ Embossed/ Super Matt/ Soft Touch
- Material: PVC
- Usage: Lamination, Wrapping Machine, Vacuum Membrane Press
- Application: Furniture/ Cabinet/ Door/ Wall/ Ceiling/ Floor
- MOQ: 3000m/model
- Width: 1260mm, 1400mm
- Highlight: **moisture proof pvc decorative film,
soft touch pvc interior film,
soft touch pvc decorative film**

Product Description

Product Description:

<p>Our **PVC foil** is primarily made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its durability, flexibility, and ease of processing.</p>

<p>It is **available in a wide range of colors, patterns, and textures**, allowing it to mimic the look of natural materials such as wood, stone, fabric, or metal, providing a cost-effective alternative to these materials while retaining a high-quality aesthetic.</p>

<p>It can be applied to different surfaces, such as doors, cabinets, furniture, walls, and more, adhering well to different substrates, and can be used in different areas in interior.</p>

<p>With its **resilience to deterioration and strength**, our pvc foil is frequently used in high-traffic locations, and requires little upkeep once it is placed -- usually only a wipe down with a moist cloth once a week.</p>

<p>The affordability of pvc decorative foil in comparison to natural materials is one of its main benefits, making it possible to **create upscale aesthetics** without incurring the related expenses. Additionally, there is a large range of styles and finishes available from manufacturers to fit every project specifications and personal design preference.</p>

<p>It is commonly used in **residential and commercial settings**, for application such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.</p>

Technical Parameters:

Our products come in a variety of thicknesses and widths. Thickness ranges from 0.1mm to 0.5mm, while widths come in 1260mm or 1400mm. All products are available in a length of 100-400m per roll.

We offer our customers a diverse selection of designs, including wood grain, solid color, marble, brick, and more. Our products also come in multiple surface treatments, including matt, super matt, embossed, high gloss, and soft touch.

Finally, we are proud to offer custom services, such as OEM and ODM. Contact us today to inquire about our products and custom services.

Applications:

Different Process Method for Different Application

Membrane Press(vacuum press): thickness from 0.20mm to 0.50mm, width from 1260mm to 1400mm, length from 100m to 300m per roll. Application include cover on MDF, particleboard, wooden board, fiberboard for doors, kitchen cabinet, wardrobe and furniture.

Wrapping Profiles: thickness from 0.12mm to 0.18mm, width from 40mm to 1260mm, length from 300m to 800m per roll; applicable to all kinds of profiles like wood profile, aluminum profile and PVC profile, for door frame, such as window sill, base channel, PVC ceiling.

Cold Laminating: thickness from 0.12mm to 0.20mm, width from 1240mm to 1260mm, length from 300m to 500m per roll. Basically, for all kinds of flat panels, such as wood panel, steel panel, aluminum panel and PVC panel, for doors and furniture.

Hot Laminating: thickness from 0.16mm to 0.30mm, width of 1260mm, length from 200m to 300m per roll. Mainly used for covering on PVC panel, steel panel and aluminum panel for doors, skirting and etc.

Self-adhesive: thickness from 0.10mm to 0.20mm, width 600mm or 1220mm, length from 5m to 50m per roll. This is used for furniture and indoor decorations on any smooth surface.

Customization:

Custom Service for Realsun Deco PVC Decorative Film

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Application: Furniture/ Cabinet/ Door/ Wall/ Ceiling/ Floor

Material: Polyvinyl Chloride (PVC)

Thickness: 0.10mm-0.50mm

Feature: Non-toxic, Anti-Flame, Moisture-proof

Packing: Pack In Roll

Realsun Deco is specialized in providing Vinyl Decorative Film for clients all over the world. Our Polyvinyl Chloride Sheet is made of high quality and environmental friendly PVC material to ensure its non-toxic, anti-flame, and moisture-proof features. Our Decorative PVC Film has a thickness of 0.10mm-0.50mm and is widely used in furniture, cabinet, door, wall, ceiling, and floor decoration.

We offer custom service for the PVC Decorative Film and accept minimum order of 3000m. The price is negotiable and the delivery time is usually 15-20 days. Our payment terms are T/T, with 30% down payment and 70% balance before shipment. We have a monthly supply ability of 500000m.

Support and Services:

PVC Decorative Film Technical Support and Service:

Provide professional product consulting services




Provide free product samples

Provide guidance on product installation
Provide technical support services
Provide free product maintenance and after-sales service

Packing and Shipping:

PVC Decorative Film Packaging and Shipping:
The PVC Decorative Film will be packed in rolls with necessary protective materials such as foam sheet, kraft paper, and plastic sheeting. The packing and shipping process is designed to prevent any damage to the product during transportation.

 **Foshan Realsun Decorative Material Co., Ltd.**

 +8613790066054  sale1@realsundeco.com  realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China