Vacuum Press PVC Decorative Film Roll Wood Texture 1400mm Width

Basic Information

Place of Origin: Foshan, China
 Brand Name: Realsun Deco
 Minimum Order 3000m/model

Quantity:

• Delivery Time:

• Price: Negotiable

Packaging Details: Pack in roll

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

15-20 days

• Supply Ability: 500000m/month



Product Specification

Application: Furniture/ Cabinet/ Door/ Wall/ Ceiling/

Profile, Etc.

Packing: Pack In Roll

Surface: Glossy/ Matt/ Embossed/ Super Matt/ Soft

Touch

Material: PVC

Service: OEM, ODMMOQ: 3000m/model

Feature: Non-toxic/ Anti-Flame/ Moisture-proof

Design: Wood Grain, Marble, Brick, Stone And So On

• Highlight: 1400mm pvc interior film,

1400mm pvc decorative film, wood texture pvc interior film

Product Description:

Our Pvc foil is primarily made from Polyvinyl Chloride (PVC), which is a synthetic plastic material known for its durability, flexibility, and ease of processing

Our pvc foil is avalilable in a wide range of colors, patterns, and textures. It can emulate the look of natural materials such as wood, stone, fabric, or metal, providing a more cost-effective atternative while maintaining the same visual quality.

This type of foil can be applied to many surfaces, including doors, cabinets, furniture, walls, and more. It adheres well to different substrates and can be used in different area in interior.

Realsun Deco PVC foil is renowned for its resilience to deterioration and strength. It is therefore, popularly used in high-traffic locations. It can be easily maintained with little upkeep, just by wiping it down with a moist cloth once per week.

The affordability of pvc decorative foil in comparison to natural materials is one of its main benefits. It thus, makes it possible to create upscale designs without incurring the same amount of expenses.

Manufacturers provide a wide range of styles and finishes, making it easy to modify the foil to correspond to specific project requirements and design preferences.

Decorative pvc foil is commonly used in residential and commercial applications, such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

Technical Parameters:

Our products have various ranges in the thickness and width. They come with thickness ranging from 0.1mm to 0.5mm and widths 1260mm and 1400mm. We offer our products with a lengh of up to 400m/roll, providing you with different lengths according to your needs. With regard to the design, wood grain, solid color, marble, brick and etc are the choices you have. Each has its unique style, and adds personality to your style. As for the surface treatment, we provide matt, super matt, embossed, high gloss and soft touch, so that you can have different options to choose according to your demands. Furthermore, we also provide OEM, ODM and free samples, so that it is much easier for our customers to obtain what they need.

Applications:

Process 1: Membrane Press (vacuum press). It has a thickness from 0.20-0.50mm, width of 1260mm-1400mm, and length from 100-300m/roll. This process is used to cover MDF, particleboard, wooden board, fiberboard, etc. for doors, kitchen cabinets, wardrobes, furniture, and other surfaces such as embossed board. It is capable of covering all five surfaces at the same time.

Process 2: Wrapping Profiles. This process has a thickness range from 0.12-0.18mm, width of 40-1260mm, and length from 300-800m/roll. It is used to cover all kinds of profiles including wood profile, aluminum profile, PVC profile, etc. for door frames, window sills, base channels, PVC ceilings, etc.

Process 3: Cold Laminating. It has a thickness from 0.12-0.20mm, width of 1240-1260mm, and length of 300-500m/roll. This process is used to cover all kinds of flat panels such as wood panel, steel panel, aluminum panel, PVC panel, etc. for doors, furniture and other

Process 4: Hot Laminating. It has a thickness range from 0.16-0.30mm, width of 1260mm and length from 200-300m/roll. This process is used to cover the PVC panel, steel panel, aluminum panel for doors, skirting, etc.

Process 5: Self-Adhesive. This process has a thickness range from 0.10-0.20mm, a width of 600mm/1220mm, and length from 5-50m/roll. It can be put on any smooth surface for furniture, indoor decorations, and other surfaces.

Customization:

Customized Services for Realsun Deco PVC Decorative Film

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

MOQ: 3000m/model Thickness: 0.10mm-0.50mm Packing: Pack In Roll

Feature: Non-toxic/ Anti-Flame/ Moisture-proof

Service: OEM, ODM

Highlight: High Gloss PVC Film, PVC Door Foil, PVC Decorative Film

Support and Services:

Technical Support and Service for PVC Decorative Film

We provide comprehensive technical support and service for our PVC Decorative Film products. Our team is made up of experienced professionals who are knowledgeable and capable of providing the best possible support and service. We are committed to providing the highest quality of service and support to our customers.

We offer:

Assistance in selecting the right product for your needs.

Help in troubleshooting any installation or technical difficulties you might experience.

Ongoing maintenance and support for your product.

Technical advice and guidance for any questions or concerns you might have.

If you have any questions or need assistance with our PVC Decorative Film products, please do not hesitate to contact us. We are here to

Packing and Shipping:

Packaging and Shipping

PVC Decorative Film is packaged into rolls, with a diameter of less than 500mm. The roll is wrapped in a waterproof and moisture-proof wrapping film, foam sheet and kraft paper head. The shipping method depends on customer requirements.

Realsun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China