122cm*50m Self Adhesive PVC Film With Long Lasting Durability

Basic Information

Place of Origin: Foshan, China
 Brand Name: Realsun Deco
 Minimum Order 3000m/model

Quantity:

• Price: Negotiable

Packaging Details: Pack in rollDelivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

Adhesive: Acrylic Pressure Sensitive Adhesive

Design: Wood Grain, Marble, Brick, Stone, Plain

Color Etc.

• Surface: Glossy/Matte/Super Matte/Embossed/Soft

Touch

• Size: 122cm*50m, 60cm*10m

Adhesive Strength: High

• Durability: Excellent

• Thickness: 0.08mm-0.15mm

Waterproof: Yes

• Highlight: 50m Self Adhesive PVC Film,

Long Lasting Self Adhesive PVC Film,

122cm pvc self adhesive film

Product Description

High Adhesive Strength Contact Paper with Long Lasting Durability

Product Description:

Our self adhesive pvc film is composed of polyvinyl chloride, a type of synthetic plastic material which is known for its great durability and versatility. A pressure sensitive adhesive is added on the back of the film, along with a liner paper which is removed prior to application. Our self adhesive pvc film is available in a variety of thicknesses, for different applications and requirements in terms of durability. There is also a range of finishes to choose from, including matte, glossy, satin, and textured, each of which affects the overall feel and look of the material. In terms of colors and patterns, you can find a wide range, including wood grain design, marble design, brick design and many more.

The self adhesive pvc film has a broad range of applications - it is often used for wall and furniture covering, as well as craft and DIY projects due to its easy use.

Features:

Product Name: Self Adhesive PVC Film

Material: PVC

Thickness: 0.08mm-0.15mm Size: 122cm*50m, 60cm*10m Adhesive Strength: High Durability: Excellent

Ideal for Contact Paper, Vinyl Contact Paper and Other DIY Projects

Technical Parameters:

Product Description

We offer a wide selection of products in a variety of thicknesses between 0.1mm and 0.12mm, with widths of 1220mm and 600mm, and available in length of either 50m per roll or 10m per roll.

Our product range is incredibly diverse and include wood grain, solid color, marble, brick and more. We offer an even wider variety of surface treatments, from matt, super matt, embossed, high gloss, and soft touch.

We also provide an excellent OEM and ODM service.

Applications:

Self-adhesive PVC film is a extremely versatile material that can be used for a wide range of purposes. To help you apply the film smoothly and securely, here's a general guide of the supplies and steps needed:

Materials you'll need:

- -Self-adhesive PVC film
- -A clean, smooth surface to apply the film to (e.g., furniture, walls, windows, or any other suitable surface)
- -A measuring tape or ruler
- -A sharp utility knife or scissors
- -A squeegee or a credit card
- -A clean cloth or sponge
- -A spray bottle with soapy water (optional)

Steps for application:

- 1. Prepare the surface: Ensure that the surface you plan to cover with self-adhesive PVC film is clean, dry, and smooth. Remove any dust, dirt, or imperfections. If the surface is dirty, clean it thoroughly and let it dry completely.
- 2.Measure and cut: Measure the dimensions of the surface you want to cover and add a few extra inches to each side to allow for trimming. Cut the self-adhesive PVC film to the desired size using a sharp utility knife or scissors. Be precise in your measurements and cutting to ensure a proper fit.
- 3.Peel off the backing: Carefully peel back a few inches of the backing paper from one end of the PVC film. Avoid touching the adhesive side to prevent fingerprints and dirt from sticking to it.
- 4.Apply the film: Begin applying the exposed adhesive side of the PVC film to the surface. Start at one corner or edge and align it with the surface. As you apply the film, gradually peel off more of the backing paper, smoothing the film onto the surface as you go. You can use a squeegee or a credit card to help remove any air bubbles and ensure a smooth, even application.
- 5.Smooth out bubbles: If you notice any air bubbles trapped under the film, use the squeegee or credit card to gently push them out towards the edges. Work from the center outward to expel the bubbles completely.
- 6.Trim excess: Once the film is applied smoothly, use a utility knife or scissors to trim any excess film along the edges. Be cautious when cutting to avoid damaging the surface underneath.
- 7. Finish and clean: After trimming, go over the entire surface with a clean cloth or sponge to ensure that the PVC film is securely adhered and free from any air bubbles or wrinkles. If you used soapy water during application, wipe away any excess water or soap residue.

 8. Final inspection: Inspect the surface to ensure that the PVC film is securely in place and free from imperfections. If you encounter any issues, gently lift the film and reapply as needed.

To get the best of your self-adhesive PVC film, make sure to follow the manufacturer's instructions for a specific application. Proper surface preparation and careful installation are the keys to achieving a perfect and professional-looking result.

Customization:

We at Realsun Deco provide the best quality of self adhesive PVC foil with great adhesive strength and waterproof. Our minimum order

quantity is 3000m/model, which are packaged in roll. We can provide 500000m/month with a delivery time of 15-20 days. We accept payment via T/T with 30% down payment and 70% balance before shipment. We have two sizes available, 122cm*50m and 60cm*10m. Our liner paper comes in 80gsm, 100gsm, 120gsm and the adhesive used is acrylic pressure sensitive adhesive. Our product is manufactured in Foshan, China and we offer our customers a negotiable price.

Packing and Shipping:

Self Adhesive PVC Film packaging and shipping is done using cardboard boxes, bubble wrap, and stretch wrap. The cardboard boxes are designed to be resilient and secure, and they come in a variety of sizes to fit the size of the product. Bubble wrap is used to cushion the product and minimize any potential damage during transit. Stretch wrap is used to keep the product secure and keep the cardboard box closed. The product is then shipped in accordance with the customer's specifications.

Realsun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China